



TYPE CGRC

Features

- Manufactured from bronze alloy
- Supplied with stainless steel hardware
- UL 467 Listed for direct burial and CSA Certified

Benefits

- Ensures maximum strength and durability
- Suitable for direct burial in earth or concrete
- Ensures a safe and reliable grounding connection



Catalog Number	Ground Rod		Rebar		Dimensions - in. (mm)		
	Size	Wire Range	Size	Wire Range	W	H	L
CGRC-38 +	3/8	4-10	#3	4-10	0.472 (12.0)	1.025 (26.0)	0.695 (17.7)
CGRC-48	1/2	2-10	#4	2-10	0.615 (15.6)	1.220 (31.0)	0.775 (19.7)
CGRC-58	5/8	2-10	#5	4-10	0.625 (15.9)	1.370 (34.8)	0.930 (23.6)
CGRC-68	3/4	2-10	#6	4-10	0.645 (16.4)	1.543 (39.2)	1.118 (28.4)

All wire sizes, unless noted otherwise, are American Wire Gauge (AWG)

+ CGRC-38 is not UL Listed

Tested to UL 467, UL File E34440



TYPE CGRC

Features

- Manufactured from bronze alloy
- Supplied with stainless steel hardware
- UL 467 Listed for direct burial and CSA Certified

Benefits

- Ensures maximum strength and durability
- Suitable for direct burial in earth or concrete
- Ensures a safe and reliable grounding connection



Catalog Number	Ground Rod		Rebar		Dimensions - in. (mm)		
	Size	Wire Range	Size	Wire Range	W	H	L
CGRC-38 +	3/8	4-10	#3	4-10	0.472 (12.0)	1.025 (26.0)	0.695 (17.7)
CGRC-48	1/2	2-10	#4	2-10	0.615 (15.6)	1.220 (31.0)	0.775 (19.7)
CGRC-58	5/8	2-10	#5	4-10	0.625 (15.9)	1.370 (34.8)	0.930 (23.6)
CGRC-68	3/4	2-10	#6	4-10	0.645 (16.4)	1.543 (39.2)	1.118 (28.4)

All wire sizes, unless noted otherwise, are American Wire Gauge (AWG)

+ CGRC-38 is not UL Listed

Tested to UL 467, UL File E34440



TYPE CGRC

Features

- Manufactured from bronze alloy
- Supplied with stainless steel hardware
- UL 467 Listed for direct burial and CSA Certified

Benefits

- Ensures maximum strength and durability
- Suitable for direct burial in earth or concrete
- Ensures a safe and reliable grounding connection



Catalog Number	Ground Rod		Rebar		Dimensions - in. (mm)		
	Size	Wire Range	Size	Wire Range	W	H	L
CGRC-38 +	3/8	4-10	#3	4-10	0.472 (12.0)	1.025 (26.0)	0.695 (17.7)
CGRC-48	1/2	2-10	#4	2-10	0.615 (15.6)	1.220 (31.0)	0.775 (19.7)
CGRC-58	5/8	2-10	#5	4-10	0.625 (15.9)	1.370 (34.8)	0.930 (23.6)
CGRC-68	3/4	2-10	#6	4-10	0.645 (16.4)	1.543 (39.2)	1.118 (28.4)

All wire sizes, unless noted otherwise, are American Wire Gauge (AWG)

+ CGRC-38 is not UL Listed

Tested to UL 467, UL File E34440