



Shown actual size: Pico wireless remote, 3-button with raise/lower in White (WH)

Product family features

- Wireless master control from any location
- **Requires compatible receiving device** (sold separately)
- Available in a variety of colors and button configurations with predetermined button labeling (4-button zone and scene remotes available with custom labeling)
- Nightlight models offer a continuously soft-glowing LED that allows the remote to be easily located in the dark
- Control a single light/shade or a group of lights/shades
- Can be wall-mounted, mounted on a tabletop pedestal, kept on a car visor clip, or used as a handheld control; adhesive-mount for stand-alone wall mounting included with Pico wireless remote, all other mounting accessories sold separately (see p. 186)
- Simple to install in single-gang or multi-gang applications with Claro® or Pico wallplates
- Battery included; 10-year battery life (3-year battery life with nightlight model)
- Communicates via Lutron Clear Connect® radio frequency (RF) technology to other wireless devices, including: GRAFIK T™ (see p. 14), Caséta® Wireless (see p. 136), Maestro Wireless® (p. 153), RF switch (see p. 160), PowPak plug-in modules (see p. 168), PowPak® remote-mount modules (see p. 170), PowPak wireless fixture control modules (see p. 175) and Serena® battery-powered shades (see p. 212)
- RF range of 60 ft (18 m) line-of-sight, 30 ft (9 m) through walls and floors to other compatible RF devices
- Operates at 434 MHz frequency

Available finishes

Use **BOLD** color code in model number (Example: PJ2-3BRL-G**WH**-L01)

Gloss finishes

(available for most button configurations)



WH
White



WG
White/Gray



IV
Ivory



LA
Light Almond



BL
Black

White color palette in all models



2-button



2-button
with raise/lower



2-button
with nightlight



3-button

Pedestal finishes



3-button
with raise/lower



3-button
with raise/lower
with nightlight



4-button



WH
White



BL
Black

4-button zone wireless remotes



- On/off and raise/lower
- Light or shade icon labeling
- Custom labeling available

Pico wireless remotes

4-button zone

Light icon	PJ2-4B-G XX ¹ -L01
Light custom	PJ2-4B-G XX ¹ -EL1
Shade icon	PJ2-4B-G XX ¹ -S01
Shade custom	PJ2-4B-G XX ¹ -ES1

Caséta® Wireless Pico wireless remote PRO

4-button zone (dimming control)

Light icon	PJ2-4B- XX ¹ -L01P
------------	--

- ~~XX~~¹:** Available in Gloss White (WH), Black (BL), Ivory (IV), and Light Almond (LA)
- ~~XXX~~²:** Available in Arctic White (TAW), and Black (TBL)
- ~~XX~~³:** Available in Bright Chrome (BC), Satin Nickel (SN), and Satin Brass (SB)
- ~~XXX~~⁴:** Available in Green Glass (GWH) and Clear Glass (CWH)
- ~~XX~~⁵:** Available in Gloss White (WH) and Black (BL)

Accessories

Screw-mount kit

Mounting kit	PICO-SM-KIT
--------------	-------------

Kit recommended for stand-alone mounting, includes screws to be used for permanent mounting and/or mounting to non-smooth surfaces.

Wallbox adapter

Adapter	PICO-WBX-ADAPT
---------	----------------

Adapter allows the Pico wireless remote to be installed over an existing wallbox.

Adapter to be used with Claro® wallplates.

Pico wallplates

Single wallplate	LPFP-S1- XXX ²
Single wallplate	LPFP-S1- XX ³
Single wallplate	LFGP-S1- XXX ⁴
Double wallplate	LPFP-S2- XXX ²
Double wallplate	LPFP-S2- XX ³
Double wallplate	LFGP-S2- XXX ⁴

Pico wallplates are designed to provide a clean architectural look, Pico wireless remotes mount flush with the wallplate. Wallplates include wallbox adapter.

Arctic White and Glass finish wallplates include white plastic trim adapter visible from side.

Black and metal finish wallplates include black plastic trim adapter, visible from side.

Tabletop pedestals

Single pedestal	L-PED1- XX ⁵
Dual pedestal	L-PED2- XX ⁵
Triple pedestal	L-PED3- XX ⁵
Quad pedestal	L-PED4- XX ⁵

Car visor clip

Clip	PICO-CAR-CLIP
------	---------------