

A breath of fresh air.

These respirators all feature the proprietary 3M™ Cool Flow™ Exhalation Valve – designed to release hot, humid exhaled breath quickly, helping to reduce heat build-up and moisture inside the facepiece.

N95 Respirators



8511 (N95) AAD #07185

Stays cooler!* Our most popular valved model is suited for hot, humid environments, or for long periods of wear.



* Compared to non-valve disposable respirators.

8211 (N95)

All the great features of the 8511, plus a comfortable foam face seal. Its design helps protect against certain **non-oil based** particles.



9211+ (N95) AAD #37193

Comfort meets convenience. Three-panel respirator that's suited for work situations involving heat, humidity, or long periods of wear.



Individually packaged

8210V (N95)

An economical option when a valved respirator is desired, this respirator is based on the popular 8210 and features the proprietary 3M™ Cool Flow™ Valve.



100 Class Respirators

Typically used for certain OSHA substance specific contaminants (excluding asbestos but including lead, MDA, arsenic, and cadmium); and pharmaceutical manufacturing.

8293 (P100)

For those who want NIOSH's highest-rated filtration efficiency in a disposable respirator, this provides a minimum filter efficiency of 99.97% against **oil-based** particles.



Individually packaged

8233 (N100)

For those who want NIOSH's highest-rated filtration efficiency in a disposable respirator, this provides a minimum filter efficiency of 99.97% against **non-oil based** particles.



Individually packaged

IMPORTANT: All 3M products shown in this catalog must be used in accordance with the OSHA regulations and the user instructions, warnings, and limitations accompanying each product.

Featured Technologies

3M's technological benefits help you match the right respirator to your environment. Use this color code to identify which features are included on each respirator.



Advanced Electrostatic Media

Breathe easier! Proprietary filter media allows greater air flow while capturing more contaminants in the electrostatically-charged microfibers.

3M.com/disposable

Visit our website for more information: Online Medical Evaluations • Respiratory Management Program • Videos • Where to buy • Training tools. Plus download our Tech Bulletins.

Product Ordering Information

Model	NIOSH Class	Stock Number UPC	Qty/ Box	Boxes/ Case	Case Qty
-------	-------------	---------------------	-------------	----------------	-------------

Comfort

9105	N95	70-0715-6389-7 50051131 17397 7	50	8	400
9105s	N95	70-0715-6388-9 50051131 17394 6	50	8	400
8110s	N95	70-0707-5707-8 50051138 54305 6	20	8	160
8200	N95	70-0715-3449-2 50051131 07023 8	20	8	160
8210	N95	70-0706-1439-4 50051138 46457 3	20	8	160
8210Plus	N95	70-0710-9189-9 50051131 52924 8	20	8	160
9210+	N95	GT-5000-7298-5 5005113137192 2	20	12	240

Comfort Plus

8210V	N95	70-0716-0658-9 50051131 49711 0	10	8	80
8211	N95	70-0710-4255-3 50051131 52750 3	10	8	80
8511	N95	70-0707-5755-7 50051138 54343 8	10	8	80
9211+	N95	GT-5000-7299-3 5005113137193 9	10	12	120

100 Class

8233	N100	70-0707-0901-2 5001138 541543 4	1	20	20
8293	P100	70-0707-5747-4 50051138 54336 0	1	20	20



Why clock out to get checked out?
Online Respirator Medical Evaluations

Try 2 evaluations, FREE!

Now your employees can stay onsite for their medical evaluation. Sign up, take the OSHA respirator medical evaluation questionnaire, and get instant results with the 3M Online Respirator Medical Evaluation Service. There's no minimum order or hidden costs. For a limited time, first time accounts can get two evaluations at no cost so you can see how convenient it is!

To learn more and receive two free evaluations, go to:
3M.com/OMEPromo



Personal Safety Division
3M Center
Building 235-2NW-70
St. Paul, MN 55144-1000

3M Canada Company PSD
P.O. Box 5757
London, Ontario N6A 4T1
Canada

3M PSD products are for occupational use only.

Model	NIOSH Class	Stock Number UPC	Qty/ Box	Boxes/ Case	Case Qty
-------	-------------	---------------------	-------------	----------------	-------------

Specialty

8240	R95	70-0708-4386-0 50051138 66297 9	20	6	120
8246	R95	70-0707-5771-4 50051138 54357 5	20	6	120
8247	R95	70-0707-5772-2 50051138 54358 2	20	6	120
8271	P95	70-0707-1083-8 50051138 54285 1	10	8	80
8576	P95	70-0707-5793-8 50051138 54370 4	10	8	80
8577	P95	70-0707-5794-6 50051138 54371 1	10	8	80

Welding and Metal Pouring

8212	N95	70-0707-0899-8 50051138 54141 0	10	8	80
8214	N95	70-0707-9953-4 50051138 66192 7	10	8	80
8512	N95	70-0708-4387-8 50051138 66298 6	10	8	80
8514	N95	70-0708-4388-6 50051138 66299 3	10	8	80
8515	N95	70-0708-9002-8 50051131 07189 1	10	8	80
8516	N95	70-0708-4573-3 50051138 66392 1	10	8	80

⚠ WARNING

These respirators help reduce exposures to certain airborne particulates. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. Misuse may result in sickness or death. For proper use, see package instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

For More Information

Technical Assistance in US 1-800-243-4630
Technical Assistance in Canada 1-800-267-4414
www.3M.com/workersafety

3M, VFlex, and Cool Flow are trademarks of 3M Company, used under license in Canada. Please recycle. Printed in USA.
© 2014, 2016 3M. All rights reserved.
70-0714-8838-4