

POWER MANAGEMENT

Accessories



AC1031 Enclosure Power Strip Module, Half-Width



AC1031

ENCLOSURE POWER STRIP MODULE, HALF-WIDTH

Six outlet high-density half-width power strip module designed for On-Q Enclosures.

364569-02-V1 Duplex Outlet Power Kit, Surge Protected



364569-02-V1

DUPLEX OUTLET POWER KIT, SURGE PROTECTED

This power kit includes duplex power outlet, metal "J" box, and faceplate kit.

PART NO.	PRODUCT	DESCRIPTION
F7526	AC Power Kit	The AC power kit includes metal "J" electrical box, white duplex receptacle and white faceplate for a complete installation.

Power Supplies

	PART #	DESCRIPTION	VOLTAGE	AMP	POWER SUPPLY	USE W/ UPDM*
UNITY	HA6001	Integration Module	24	2.5	PW1060	No
	HA6101	Integration Expansion Module	24	2.5	PW1060	No
	HA5202	TVDI Expander Module	24	1.25	PW1030	Yes
AUDIO	AU1001	lyriQ High Performance Keypad Power Module	24	2.5	PW1060	No
	AU1002/AU7396	Standard Performance System	24	2.5	PW1060	No
	AU1002/AU7396	System with 1 or 2 high performance keypads	24	5	PW1120	No
	AU1002/AU7396	System with 5 or 6 high performance keypads	24	10	PW1240	No
DATA	VM7632	2X2 Enhanced Bi-Directional Video Amplifier Module	12-15	250 mA	PW7760	Yes
	VM7640	1X1 Bi-Directional Video Amplifier Module	12-15	150 mA	PW7760	Yes
	DA1101	802.11n Wireless Access Point	48VDC PoE	200 mA	Included	Yes
	DA1002	5 Port 10/100 Ethernet Switch in single module bay	12-15	300 mA	PW7760	Yes
	DA1004	4 Port 10/100 Ethernet Switch in single module bay	12		PW7760	
	DA1054	4-Port Gigabit Router/Switch	12		PW7760	Yes
CAMERAS	DA1008	8 Port 10/100 Ethernet Switch in single module bay	12		PW7760	
	DA1458	8-Port Gigabit Switch with PoE	48		PW1248	Yes
	CM1010	LCD Display Module	24	2.5	PW1060	No
	CM1011	Cat 5e Camera Module	12	800 mA	PW7725	Yes
	CM1048	Combo Camera & LCD Module	24	2.5	PW1060	No
	F1003	Frequency Agile Mono Modulator, 3 Channel	15	300 mA	Included	Yes
INTERCOMS	IC1000 (All)	Broadcast Intercom Module (standalone)	12	2.5	PW7725	Yes
	IC1002-XX (All)	Broadcast Intercom Module And Main Console	12	2.5	PW7725	Yes
	IC5001	Selective Call Intercom Module	24	1.5	PW1030	Yes

* UPDM = Universal Power Distribution Module



AIRQAST

Kits

AU5851-WH

lyriQ airQast Single-Source 2-Zone Studio Kit, White



AU5851-WH

LYRIQ AIRQAST SINGLE-SOURCE 2-ZONE STUDIO KIT, WHITE

This entry-level lyriQ multi-room audio kit provides homeowners with two rooms of crystal-clear audio from a main source or mobile device. Connect an AV receiver or stereo via the included main source input, or stream digital music, Internet radio stations and music services such as Pandora or SiriusXM directly from a smartphone or tablet.

KIT CONTAINS

airQast Main Source Input (AU1015)
2 lyriQ Keypads with Studio Plates (AU5009-WH)
1 60 W Power Supply (PW1060)
1 Single-Source, 4-Zone Distribution Module (AU7396)

AU5852-WH

lyriQ airQast Multi-Source 2-Zone Studio Kit, White



AU5852-WH

LYRIQ AIRQAST MULTI-SOURCE 2-ZONE STUDIO KIT, WHITE

The lyriQ airQast Multi-Source, 2-Zone Kit is the perfect all-in-one solution for whole house audio. Homeowners can enjoy up to four sources in two rooms, choose to listen to a local source in only one room, or access and control their entire digital music collection from anywhere in the home through a smartphone or tablet.

KIT CONTAINS

airQast Main Source Input (AU5015)	1 Flush Mount Triple Source Input (AU1011-WH)
2 lyriQ Keypads w/Studio Plates (AU5009-WH)	1 Universal Remote (AU1060)
1 Double-Gang Studio Wall Plate (WP5002-WH)	2 IR Emitters (F7425)
1 Multi-Source, Four-Zone Distribution Module (AU1002)	1 60W Power Supply (PW1060)

AU5854-WH

lyriQ airQast Multi-Source 4-Zone Studio Kit, White



AU5854-WH

LYRIQ AIRQAST MULTI-SOURCE 4-ZONE STUDIO KIT, WHITE

This lyriQ Audio Kit lets homeowners enjoy four music sources throughout their home, or play music, Internet radio stations, and streaming music services directly from a smartphone or tablet. Just open the free app and press play. lyriQ's Cat 5e backbone allows whole house commands and it easily integrates with the Broadcast or Selective Call Intercom Systems.

KIT CONTAINS

4 lyriQ Keypads with Studio Plates (AU5009)	2 Dual IR Emitters (F7495)
1 lyriQ airQast (AU1015)	1 lyriQ Flush Mount Triple Source Input (AU1011)
1 Power Supply (PW1060)	1 lyriQ 4 Source, 8-Zone Distribution Module (AU1002)
1 Remote (AU1060)	1 Double-Gang Studio Wall Plate (WP5002-WH)



LYRIQ MULTI-ROOM AUDIO SYSTEMS

Studio Kits

PART #	DESCRIPTION	Studio	Colors	AU1002	AU1014	AU7396	AU1001
lyriQ Single Source Kits - Two Zone Kits							
AU5412-WH	lyriQ™ Studio Single-Source 2-Zone Kit, White (Includes: 2 Keypads, Flush Mount Main Source, Advanced Single Source Module, Universal Remote, Dual IR Emitter, 60W Power Supply)	X	WH		X		
AU5712-WH	lyriQ™ Studio Charge & Play 2-Zone Kit, White (Includes: 2 Keypads, lyriQ Charge & Play Kit, Advanced Single Source Module, 60W Power Supply)	X	WH		X		
AU5851-WH	lyriQ™ airQast Single-Source 2-Zone Studio Kit, White (Includes: 2 Studio Keypads, airQast Main Source Input, Single Source Four Zone Distribution Module, and 60W Power Supply)	X	WH			X	
lyriQ Single Source Kits - Four Zone Kits							
AU5514-WH	lyriQ™ Studio Single Source, 4-Zone Kit, White (Includes: 4 Keypads, Local Source Input, Flush Mount Main Source, Advanced Single Source Module, Universal Remote, Dual IR Emitter, 60W Power Supply)	X	WH		X		
AU5714-WH	lyriQ™ Studio Charge & Play 4-Zone Kit, White (Includes: 4 Keypads, Local Source Input, lyriQ Charge & Play Kit, Advanced Single Source Module, 60W Power Supply)	X	WH		X		
lyriQ Multi-Source Kits - Two Zone Kits							
AU5852-WH	lyriQ™ airQast Multi-Source, 2-Zone Studio Kit, White (Includes: 2 Studio Keypads, airQast Main Source Input, Flush Mount Triple Source Input, Multi Source Module, Universal Remote, Dual IR Emitter, 60W Power Supply)	X	WH	X			
lyriQ Multi-Source Kits - Four Zone Kits							
AU5544-XX	lyriQ™ Studio Multi-Source, 4-Zone Kit, White (Includes: 4 Keypads, Flush Mount Triple & Single Main Source, Local Source Input, Multi-Source Module, Universal Remote, Dual IR Emitter, 60W Power Supply)	X	WH LA	X			
AU5644-WH	lyriQ™ Studio High Performance, Multi-Source, 4-Zone Kit, White (Includes: 4 H.P. Keypads, Flush Mount Triple & Single Main Source, Local Source Input, Multi-Source Module, Universal Remote, Dual IR Emitter, 60W Power Supply, HP Power Module, & PW1120)	X	WH	X		X	X
AU5744-WH	lyriQ™ Studio Multi-Source with Charge & Play, 4-Zone Kit, White (Includes: 4 Keypads, Flush Mount Triple Source Input, lyriQ Charge & Play Kit, Local Source Input, Multi-Source Module, Universal Remote, Dual IR Emitter, 60W Power Supply)	X	WH	X			
AU5844-WH	lyriQ™ Studio High Performance, Multi-Source with Charge & Play 4-Zone Kit, White (Includes: 4 H.P. Keypads, Flush Mount Triple Source Input, lyriQ Charge & Play Kit, Multi-Source Module, Universal Remote, Dual IR Emitter, 60W Power Supply, HP Power Module, & PW1120 Power Supply)	X	WH	X			X
AU5854-WH	lyriQ™ airQast Multi-Source, 4-Zone Studio Kit, White (Includes: 4 Studio Keypads, airQast Main Source Input, Flush Mount Triple Source Input, Multi Source Module, Universal Remote, Dual IR Emitter, 60W Power Supply)	X	WH	X			
lyriQ Multi-Source Kits - Six Zone Kits							
AU5646-WH	lyriQ™ Studio High Performance, Multi-Source, 6-Zone Kit, White (Includes: 6 H.P. Keypads, Flush Mount Triple & Single Main Source, Local Source Input, Multi-Source Module, Universal Remote, Dual IR Emitter, HP Power Module, & PW1240)	X	WH	X			2
AU5846-WH	lyriQ™ Studio High Performance, Multi-Source with Charge & Play 6-Zone Kit, White (Includes: 6 H.P. Keypads, Flush Mount Triple & lyriQ Charge & Play Kit, Multi-Source Module, Universal Remote, Dual IR Emitter, HP Power Module, & PW1240 Power Supply)	X	WH	X			2

LYRIQ MULTI-ROOM AUDIO SYSTEMS

Studio Kits

AU1015	AU1011-XX	AU1004-XX	F7428	AU7398	AU-5015	AU5008-XX	F7417-XX	AU5010-XX	AU5009-XX	AU1000-XX	AU7394-XX	F7399-XX	PW1240	PW1120	PW1060	AU1060	F7425	WP5001-XX	WP1205-XX	WP5002-XX	WP1207-XX	
		X							2						X	X	X	X				
					X				2						X			X				
X									2						X							
		X				X			4						X	X	X	X				
					X	X			4						X			X				
X	X								2						X	X	2				X	
	X	X				X			4						X	X	2	X			X	
	X	X				X			4					X	X	X	2	1			1	
	X				X	X			4						X	X	2	X			X	
	X				X				4					X	X	X	2	X			X	
X	X								4						X	X	2				X	
	X	X				X			6				X			X	X	X			X	
X	X								6				X			X	2	X			X	



LYRIQ MULTI-ROOM AUDIO SYSTEMS

Distribution Modules

AU1002 lyriQ 4-Source, 8-Zone Distribution Module



AU1002

LYRIQ 4-SOURCE, 8-ZONE DISTRIBUTION MODULE

This lyriQ Distribution Module distributes four audio sources to up to eight different zones. It also includes built-in audio interrupt for On-Q Intercom Systems, and can be used to expand a system to up to 32 rooms.

Notes: Bracket included. Power supply required (see page 41). 5.9" H x 6.5" W

AU7396 lyriQ Single Source, 4-Zone Distribution Module



AU7396

LYRIQ SINGLE SOURCE, 4-ZONE DISTRIBUTION MODULE

This lyriQ Distribution Module provides stereo music to four rooms, with the ability to expand to 16 rooms. It also includes built-in audio interrupt for On-Q Intercom Systems, and can be used to expand a system to up to 20 rooms.

Notes: Bracket included. Power supply required (see page 41). IC1001 required for audio interrupt. 3" H x 6.5" W

AU1014 lyriQ Advanced Single Source Distribution Module



AU1014


LYRIQ ADVANCED SINGLE SOURCE DISTRIBUTION MODULE

The lyriQ Advanced Single Source Distribution Module allows you to connect the whole house audio to the Integration Module. It distributes audio from one analog source and supports four to 16 rooms. It also includes built-in audio interrupt for On-Q Intercom Systems.

Notes: Bracket included. Power supply required (see page 41). 3" H x 6.5" W

LYRIQ AUDIO SYSTEMS

Wiring Diagram



INSTALLATION AT-A-GLANCE lyriQ HIGH PERFORMANCE AUDIO SYSTEM

1. Run a Cat 5e cable and a 16/4 speaker wire from the On-Q enclosure to a single gang box at each location where a keypad will be installed.
2. Install each lyriQ High Performance Keypad in a single gang box after connecting a pair of speakers to each keypad with 16/2 speaker wire.
3. Install the lyriQ Four Source 8-Zone Distribution Module and the lyriQ High Performance Power Module in the On-Q enclosure.
4. Connect the Cat 5e cables from the keypads to the lyriQ Four Source 8-Zone Distribution Module and 16/4 wire from the keypads to the lyriQ High Performance Power Module in the On-Q enclosure.
5. Run a pair of Cat 5e cables from the lyriQ Four Source 8-Zone Distribution Module to a two-gang box containing the lyriQ Flush-Mount Triple Source Input and connect any audio sources to the lyriQ Flush-Mount Triple Source Input with RCA cables.

COLOR OPTIONS

Products are available in the following colors: Black, Ivory, Light Almond and White. The following suffixes should be added to the end of all applicable part numbers.



LYRIQ MULTI-ROOM AUDIO SYSTEMS

Classic Kits

AU1015	AU1011-XX	AU1004-XX	F7428	AU7398	AU-5015	AU5008-XX	F7417-XX	AU5010-XX	AU5009-XX	AU1000-XX	AU7394-XX	F7399-XX	PW1240	PW1120	PW1060	AU1060	F7425	WP5001-XX	WP1205-XX	WP5002-XX	WP1207-XX	
		X									2				X	X			3			
		X									4				X	X	X		5			
		X					X				4				X	X	X		6			
				X			X				4				X	X	X		5			
				X			X					4			X		X		5			
			X	X			X				4				X	X	X	2		5		
			X	X						4				X	X	X	X		4			
	X	X					X				4				X	X	2		6			
			X	X						6			X			X	X		6			

