

Wood Bottom Mount Rod Hangers PC 4600



CAT NO	UPC	ROD SIZE	SCREW SHANK SIZE/LENGTH	POINT STYLE	PRE-DRILL (IF REQUIRED)	STD	MSTR	WT/STD UNIT
SSW14B B	17586	1/4"	1/4" x 2"	Type 17	1/8"	100	500	8.04# C
SSW38B B	17587	3/8"	1/4" x 2"	Type 17	1/8"	100	500	7.10# C
SSW38BUL B *	17582	3/8"	3/8" x 2-1/2"	Type 17	1/8"	100	300	9.00# C
SSW12B B	17581	1/2"	3/8" x 2-1/2"	Type 17	1/8"	100	300	9.00# C

Mount Direction: **B** = Bottom Mount

* = U/L listed

Wood Side Mount Rod Hangers PC 4600



CAT NO	UPC	ROD SIZE	SCREW SHANK SIZE/LENGTH	POINT STYLE	PRE-DRILL (IF REQUIRED)	STD	MSTR	WT/STD UNIT
SSW14S S	17588	1/4"	1/4" x 2"	Type 17	1/8"	100	500	7.40# C
SSW38S S	17589	3/8"	1/4" x 2"	Type 17	1/8"	100	500	7.40# C
SSW38SUL S *	17590	3/8"	3/8" x 2-1/2"	Type 17	1/8"	100	300	8.60# C

Mount Direction: **S** = Side Mount

* = U/L listed

ULTIMATE LOAD CAPACITIES INSTALLED IN WOOD BASE MATERIALS (STRUCTURAL WOOD & TIMBER)

ROD DIA		SCREW SHANK SIZE/LENGTH	EMBED DEPTH	FIR (LBS)	PINE (LBS)	SPRUCE (LBS)
1/4"	B	1/4" x 2"	2"	685	650	650
1/4"	S	1/4" x 2"	2"	1,510	1,510	1,510
3/8"	B	1/4" x 2"	2"	1,510	1,510	1,510
3/8"	S	1/4" x 2"	2"	1,800	1,800	1,800
3/8"	B	3/8" x 2-1/2"	2-1/2"	2,670	3,110	3,110
3/8"	S	3/8" x 2-1/2"	2-1/2"	1,450	1,530	1,380
1/2"	B	3/8" x 2-1/2"	2-1/2"	2,670	3,110	3,110

Mount Direction: **B** = Bottom Mount **S** = Side Mount

TECH TALK



What is the Dottie Rod Hanging System For?

- Pipe hanging
- Conduit
- Eye rod
- Cable trays
- Lighting systems
- Strut channels
- Overhead utilities
- Sprinkler systems
- Drop ceilings
- HVAC duct
- Electrical
- Refrigeration

Who Uses the Dottie Rod Hanging System?

- Plumbers
- Maintenance Contractors
- Electricians
- Sprinkler Contractors
- Mechanical Contractors
- HVAC Contractors

Why the Dottie Rod Hanging System?

- Competitive advantages:
- Lower "IN-PLACE" cost
 - Simple to install
 - FAST
 - 1 Socket for Wood & Steel
 - 1 System for all rod hanging
 - L.H. Dottie Support
 - 15 Year performance warranty

See new products at lhdottie.com

Dottie

