

SPECIFICATIONS

Barcode Capability	Barcode Capable
Catalog Page #	314
Color Printing Capability	Single Color
Dimensions	9.5 in H x 4.5 in W x 2.5 in D
Display Size	2.2 in
UOM	Kit
Font Sizes	6 pt to 40 pt Text
Label Retention Feature	Yes
Maximum Printed Label Length	36 in
Maximum Label/Tape Width	0.75 in
Maximum Print Speed	0.4 in/s
Number of Symbols	104
Power Supply Voltage	110 to 240 V
Printer Weight	1.66 lb
Print Resolution	203 dpi
Product Number	139537
UPC	754473928506
Recharge Time	2-1/2 h

Trade Name	BMP®21
Warranty	2 Years
Applications	Barcode Labeling, Cable & Wire Marking, Circuit Board Marking, Data Communications Labeling, Facility ID, General & Industrial ID, Healthcare ID, Industrial ID, Lean/5S, Maintenance Labeling, Panel Labeling, Safety Labeling
Battery Size and Quantity	Optional Rechargeable Lithium-Ion Battery
Cartridge Printer Series	M21 Series (M21-)
Connectivity Options	None
Continuous & Die-Cut Materials Supported	Continuous Tapes Only
Cutter Type	Single Hand Manual Actuate;Straight Cut
Display Type	LCD
Font Styles	Brady Standard Font
Includes	AC Adapter/Battery Charger, Hard Case, Lanyard, Li-Ion Battery, M21-750-499 Label Cartridge, Quick Start Guide
Kits Available	BMP®21-PLUS-KIT1
Label/Media Format	Cartridge
Languages Available	Dutch, English, French, German, Italian, Portuguese, Russian, Spanish
Maximum Labels per Day	100
Memory	16 MB
Mode of	Stand-Alone Mode

Operation	
Patent Number(s)	6.604.874, 6.732.619, US 8.322.936
Portable Printer Model	BMP®21 PLUS Portable Label Printer
Print Technology	Thermal Transfer
User Interface Type	ABC Keypad